

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	L1	17	(waveguide with optical with amplifier) and (circulator) and (planar with waveguide with amplifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 13:12		
2	BRS	L2	55	core same circulator and (polarization) and (waveguide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 13:13		
3	BRS	L3	2	1 and 2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 13:14		

	Errors
1	0
2	0
3	0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	L1	17	(waveguide with optical with amplifier) and (circulator) and (planar with waveguide with amplifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 13:12		
2	BRS	L2	55	core same circulator and (polarization) and (waveguide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 13:13		
3	BRS	L3	2	1 and 2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 13:15		
4	BRS	L4	4	2 and (planar with waveguide with amplifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 13:16		
5	BRS	L5	5	2 and (waveguide with optical with amplifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 13:16		